

ระบบ LAN แบบ Toolless ของบิทีชีโน

ระบบเครือข่าย network ของบิทีชีโน มีชื่อเสียงในแถบยุโรปมากกว่า 10 ปี จึงได้มีการพัฒนาผลิตภัณฑ์ โดยตลอด เพื่อเน้นความสะดวกในการติดตั้งได้อย่างรวดเร็ว โดยเฉพาะระบบ LAN ของบิทีชีโน ซึ่งเป็นอุปกรณ์แบบ toolless คือติดตั้งได้โดยไม่ต้องใช้เครื่องมือ เพื่อเป็นการประหยัดเวลา ง่ายต่อการติดตั้งและซ่อมบำรุง

ระบบ LAN ของบิทีชีโน มีคุณภาพ โดยผ่าน มาตรฐาน ISO/IEC 11801, EN 50773-1, standard TIA/EIA 568A/B และ 3P Certificate (Third Party Testing)

หลายประเทศในยุโรปได้ใช้ อุปกรณ์ของบิทีชีโน ในส่วนของ โรงงาน รีสอร์ท คอนโดมิเนียม โรงพยาบาล อาคารสูงเอกชน รวมไปถึงงานราชการและ รัฐวิสาหกิจ อีกด้วย



WWW.SEVEN-A.COM

UTP and FTP cables category 5E and 6

UTP CABLE - CATEGORY 5E

C9881U/5E

Unshielded UTP cable in category 5E with solid copper 24 AWG (0.51 mm.) conductors, polyolefin insulation, 4 pairs of twisted conductors - low-flame-propagation PVC sheath - conformity to ISO/IEC 11801- grey

Item code	Sheath	Length	Packaging	Price/baht
C9881U/5E	PVC	305m	box	3,730
C9882U/5E	NH	305m	box	4,315

UTP CABLE - CATEGORY 6

C9881U/6

Unshielded UTP cable in category 6 with solid copper 24 AWG (0.57 mm.) conductors, polyolefin insulation, 4 pairs of twisted conductors with internal separator - halogen-free sheath with low emission of fumes and toxic gas - conformity to ISO/IEC 11801- blue

Item code	Sheath	Length	Packaging	Price/baht
C9881U/6	PVC	305m	reels	5,690
C9882U/6	NH	305m	coil	7,310

FTP CABLE - CATEGORY 5E

C9881F/5E

Shielded FTP cable in category 5E with solid copper 24 AWG (0.51 mm.) conductors total shielding with aluminium foil and tinned copper continuity wire - 4 pairs of twisted - conformity to ISO/IEC 11801- grey

Item code	Sheath	Length	Packaging	Price/baht
C9881F/5E	PVC	305m	box	5,120

FTP CABLE - CATEGORY 6


C9882F/6

Shielded FTP cable in category 6 with solid copper 24 AWG (0.51 mm.) conductors total shielding with aluminium foil and tinned copper continuity wire - 4 pairs of twisted - conformity to ISO/IEC 11801- blue

Item code	Sheath	Length	Packaging	Price/baht
C9882F/6	NH	305m	coil	9,070

Toolless IDC connection category 5E and 6 UTP unshielded

RJ45 TOOLLESS IDC CONNECTORS FOR SELF-BEARING COVER PLATES




C9079/5E
C9079/6

C9079/5S
C9079/6S

RJ45 connectors category 5E and 6 UTP and FTP type - insulation cutting connection without using tools - for UTP and FTP 22 - 24 AWG 4-pair 100Ω cable - conformity to standards TIA/EIA 568A/B and EN 50173 - connection T568A/B

Category 5E	Type	Price/baht
C9079/5E	UTP	125
C9079/5S	FTP	250
Category 6		
C9079/6	UTP	162
C9079/6S	FTP	365

SELF-BEARING COVER PLATES FOR TOOLLESS RJ45 IDC CONNECTORS



C9802/TBA

C9804/TBA

C9500T/BA

4 and 2-place self-bearing cover plates to be completed with connectors and blank inserts suitable for installation on 503- type boxes - LIGHT white

Item code	Description	Price/baht
C9802/TBA	2-place cover plate	20
C9804/TBA	4-place cover plates	76

Blank insert for self-bearing cover plates

Item code	Description	Price/baht
C9500T/BA	white	31

TOOLLESS RJ45 UTP CONNECTORS - CATEGORY 5E AND 6



M9079/5E
M9079/6

L4279/5E
L4279/6

N4279/5E
N4279/6

NT4279/5E
NT4279/6

RJ45 connectors - category 5E and 6 - connection with insulation cutter without using tools - for unshielded UTP 22 - 24 AWG 4-pair 100Ω cable - conformity to standards TIA/EIA T568A/B and EN50173 - complete with rating plate and anti-dust hatch - T568A/B

Item code	Descriptions	Price/baht
Category 5E		
M9079/5E	MAGIC ADVANCE	360
L4279/5E	LIVING	385
N4279/5E	LIGHT	385
NT4279/5E	LIGHT TECH	460
Category 6		
M9079/6	MAGIC ADVANCE	390
L4279/6	LIVING	560
N4279/6	LIGHT	560
NT4279/6	LIGHT TECH	620



PLASTIC COVER PLATES, WHITE COLOR



M903/11P

M903/12P

M903/13P

M906/14P

M906/16P

Item code	Descriptions	Price/baht
M903/11P	ขนาด 1 ช่อง	20
M903/12P	ขนาด 2 ช่อง	20
M903/13P	ขนาด 3 ช่อง	20
M906/14P	ขนาด 4 ช่อง	76
M906/16P	ขนาด 6 ช่อง	76

TEL (66) 02 331 4211, 742 4625
FAX (66) 02 742 4803, 742 4780
Email Business@seven-a.com

Patch panels and cords RJ connectors

UTP PRELOAD PATCH PANELS - CATEROY 5E AND 6



C9024/5TA
C9024/6TA



C9024/5STA
C9024/6STA

Preloaded patch panels - category 5E and 6 - with RJ45 connector - insulation cutting connection without using tools - for unshielded UTP 22 - 24 AWG 4-pair 100Ω cable - conformity to standard TIA/EIA T568A/B and EN50173 - grey - complete with screws, nuts in cage and identification plates

Item code	Description	No. of ports	Rack units	Connection	Price/baht
C9024/5TA	category 5E	24	1	T568A/B	3,500
C9024/6TA	category 6	24	1	T568A/B	4,900

Preloaded patch panels - category 5E and 6 - with RJ45 connector - insulation cutting connection without using tools - for unshielded STP and FTP 22 - 24 AWG 4-pair 100Ω cable - conformity to standard TIA/EIA T568A/B and EN50173 - black - complete with screws, nuts in cage and identification plates

Item code	Description	No. of ports	Rack units	Connection	Price/baht
C9024/5STA	cat. 5E	24	1	T568A/B	8,780
C9024/6STA	cat. 6	24	1	T568A/B	9,500

UTP PATCH CORD - CATEGORY 5E / 6



C92..U/5E



C92..U/6

Patch cords with RJ45 connectors - UTP cable - PVC sheath - with incorporated SNAGGLE

Length (m)	Cat. 5E grey	Price/baht	Cat. 6 blue	Price/baht
1	C9210U/5E	70	-	
2	C9220U/5E	97	C9220U/6	210
3	C9230U/5E	115	C9230U/6	260
5	C9250U/5E	150	C9250U/6	375

Patch cords with RJ45 connectors - FTP cable

Length (m)	Cat. 5E grey	Price/baht	Cat. 6 blue	Price/baht
1	C9215F/5E	105	-	
2	C9220F/5E	125	C9220F/6	355
3	C9230F/5E	170	C9230F/6	450
5	C9250F/5E	250	C9250F/6	

RJ11 AND RJ12 MODULAR TELEPHONE CONNECTORS



M9021M/4
M9021M/6



L4258/12



L4258/12



NT4258/12

6-pin connectors for telephone connection- 110 cutting connection

Item code	Description	Price/baht
M9021M/4	RJ11, 2 pairs with terminal connection MAGIC ADVACNE	148
M9021M/6	RJ12, 3 pairs with terminal connection MAGIC ADVACNE	250
L4258/12	RJ12, 3 pairs, LIVING serie	1,107
N4258/12	RJ12, 3 pairs, LIGHT serie	1,107
NT4258/12	RJ12, 3 pairs, LIGHT TECH serie	

TOOLS FOR INSTALLATION



C9907



C9902

Item code	Descriptions	Price/baht
C9907	tool to wire the cable on 110 strip	14,100

Stripping tool

Item code	Descriptions	Price/baht
C9902	tool to remove the twisted cable sheath and strip the pairs without notching the copper conductor - 5 cavities with different stripping diameters	810

110 connect cross-connect system wiring block & connecting block

110 RACK PATCH PANELS - CATEGORY 5



C9903/4

C9903/5

Item code	Descriptions	Price/baht
C9110	patch panel with PVC legs for front wiring of 100 pairs 110 insulation cutting connection - hooked by means of screws for surface mounting - category 5	720
C9110S	patch panel with PVC legs as above flat hooking by means of rivets for PDS panels - category 5	485
C9903/4	100-connection block with 4 pairs to terminate 22 to 26 AWG cables on 110 patch panels	80
C9903/5	100-connection block as above with 5 pairs	80

FAIRLEAD MODULES AND ACCESSORIES



C9111

C9111S



C9610

C9952

Item code	Descriptions	Price/baht
C9111	fairlead strip with PVC legs for the horizontal organisation of the patch cords - complete with 5 cable-guide rings - back hooked by means of screw for surface mounting	465
C9111S	fairlead strip without legs - as above - hooked by means of rivets for PDS panels	240

Identification labels and rivets

Item code	Descriptions	Price/baht
C9610	identification label for 110 patch panel	65
C9952	package of 12 rivets to attach 110 patch panels and fairlead strip on 19" PDS panels	370

110 PATCH CORD ASSEMBLIES



C9211/1



C9222A/4

110 - 110 patch cord

Item code	Description	Price/baht
1 pair		
C9211/1	cord for 110 patch strip for telephony applications- 1-pair 110-110 terminations - grey - 1 metre long	320
C9212/1	cord as above - 1.5 metre long	320
C9213/1	cord as above - 3 metre long	340

110 - RJ45 patch cord

Item code	Description	Price/baht
1 pair		
C9221/1	cord for 110 patch strip for telephony and data applications - 110-terminations - RJ45 1-pair - 4 and 5 cabled pins - grey - 1 metre long	175
C9222/1	cord as above - 1.5 metre long	185
C9223/1	cord as above - 3 metre long	225
2 pairs		
C9222/2	cord for 110 patch strip for data applications - 110-terminations - RJ45 2-pair - 1-2 and 3-6 cabled pins - grey - 1.5 metre long	450
C9222/2N	cord as above - 3 metre long	450
4 pairs		
C9222B/4	cord for 110 patch strip for telephony and data applications - 110-terminations - RJ45 4-pair- grey - for T568A wiring - 1 metre long	210
C9222A/4	cord as above - 1.5 metre long	210



SEVEN A CO., LTD.
52 SOI YAKSIRIPOJ,
SUKHUMVIT 81,
SUANLUANG,
BANGKOK, 10250
THAILAND

WWW.SEVEN-A.COM

TEL (66) 02 331 4211, 742 4625

FAX (66) 02 742 4803, 742 4780

Email Business@seven-a.com

Pop-up and floor box Accessories

POP-UP ACCESSORIES AND BOXES



150627A



150627G



150560AC



1505600T




150560SB



150628A



150628G



150625



150620L

Item code	Descriptions	Price/baht
150627A	aluminum Pop-Up without socket Living & Light	1,200
150627G	golden Pop-Up without socket Living & Light	2,495
150560AC	floor socket aluminum color - Living & Light	640
1505600T	floor socket gold color - Living & Light	900
150560SB	floor socket plastic floor box 100x100 mm - Living & Light	330
150628A	2P+T-16A socket MAGIC ADVANCE, aluminum color IPX4	1,640
150628G	2P+T-16A socket MAGIC ADVANCE, golden color IPX4	2,935
150625	Pop-Up adapter for MAGIC ADVANCE	46
150620L	zinc coated flush box 100x100x58 mm	90

FLOOR BOX ACCESSORIES AND BOXES




150561



150562



150563



150564



150561S



150563S



150591

Item code	Descriptions	Price/baht
150561	small box 185x270x93 mm can fit 10 socket-devices plain cover with black-plastic frame	2,265
150562	small box 185x270x93 mm can fit 10 socket-devices stainless-steel cover with black-plastic frame	2,715
150563	big box 305x270x93 mm can fit 20 socket-devices plain cover with black-plastic frame	3,253
150564	big box 305x270x93 mm can fit 20 socket-devices stainless-steel cover with black-plastic frame	3,860
150561S	metal-floor box for small box 202x279x97 mm	2,245
150563S	metal-floor box for big box 322x279x97 mm	2,460
150591	supporting frame	150